

Flu Vaccination: Not-vaccinated (Adults 18-64)

Flu Vaccination: Not-vaccinated (Adults 18-64)

- Most recent data (2014): 61% or about 821,700 King County adults age 18-64.
- Trend over time: 2001-14: falling
- Description: Did not have a flu shot within the past year
- Healthy People 2020 Goal: 30% or lower

Flu vaccination: not-vaccinated (adults 18-64) , King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (age 18-64)	64	63	65
AGE			
18-24	76	73	80
25-44	68	66	69
45-64	55	54	57
GENDER			
Male	67	65	69
Female	61	59	63
RACE/ETHNICITY			
AIAN	74	63	83
Asian	64	60	68
Black	64	57	69
Hispanic	69	65	74
Multiple	67	60	74
NHPI	67	50	80
White	63	61	64
HOUSEHOLD INCOME			
<\$15,000	69	64	74
\$15,000 to \$24,999	74	70	78
\$25,000 to \$34,999	71	66	75
\$35,000 to \$49,999	66	62	70
\$50,000 to \$74,999	66	63	70
\$75,000+	56	54	58
REGION			
East	62	60	65
North	61	56	66
Seattle	63	61	66
South	65	63	67
STATE			
Washington State	66	65	67

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

N/A: Not available.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Flu vaccination: not-vaccinated (adults 18-64)

King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Flu vaccination: not-vaccinated (adults 18-64) by health reporting areas, King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (age 18-64)	64	63	65
Auburn	68	61	75
..Auburn-North	66	57	75
..Auburn-South	71	60	80
Bear Creek/Carnation/Duvall	57	51	64
Bellevue	66	61	70
..Bellevue-Central	69	58	78
..Bellevue-NE	66	56	74
..Bellevue-South	61	51	70
..Bellevue-West	65	55	74
Black Diamond/Enumclaw/SE County	65	55	73
Bothell/Woodinville	67	57	75
Burien	68	60	75
Covington/Maple Valley	66	58	73
Des Moines/Normandy Park	74	65	81
East Federal Way	68	58	78
Fairwood	67	55	78
Federal Way	65	57	71
..Fed Way-Central/Military Rd	67	57	75
..Fed Way-Dash Point/Woodmont	60	48	71
Issaquah	61	49	72
Kenmore/LFP	56	47	65
Kent	63	57	68
..Kent-East	63	51	73
..Kent-SE	61	53	69
..Kent-West	67	55	78
Kirkland	62	56	67
..Kirkland	58	51	66
..Kirkland North	67	58	74
Mercer Isle/Pt Cities	55	45	64
Newcastle/Four Creeks	63	53	72
North Highline	74	59	84
Redmond	66	58	73
Renton	56	50	62
..Renton-East	60	50	70
..Renton-North	57	45	68
..Renton-South	53	44	62
Sammamish	61	53	69
SeaTac/Tukwila	69	60	77
Seattle	63	61	66
..Ballard	69	63	74
..Beacon/Gtown/S.Park	57	46	67
..Capitol Hill/E.lake	60	52	67
..Central Seattle	52	42	61
..Delridge	66	55	75
..Downtown	67	58	75
..Fremont/Greenlake	63	56	70
..NE Seattle	61	54	68
..North Seattle	69	61	75
..NW Seattle	66	58	73
..QA/Magnolia	62	55	69
..SE Seattle	69	61	76
..West Seattle	64	57	71
Shoreline	61	54	68
Snoqualmie/North Bend/Skykomish	62	54	70
Vashon Island	67	54	78

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Flu vaccination: not-vaccinated (adults 18-64) by health reporting areas, King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Flu vaccination: not-vaccinated (adults 18-64) **King County, 2001-2014, three-year rolling averages**



Trends over time: King County (2001-14: falling); East KC (2001-14: falling); North KC (2001-14: falling); Seattle (2001-14: falling); South KC (2001-14: falling); Washington State (2001-12: falling)
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the
 Assessment, Policy Development & Evaluation Unit
 Public Health - Seattle & King County
 07/16